WHAT IS CLAIMED IS:

1. An isolated nucleic acid encoding a mammalian protein selected from the group consisting of LGR4, LGR5 or LGR7.

pub (23)

5

- 2. An isolated nucleic acid according to Claim 1, wherein said mammalian protein has the amino acid sequence of SEQ ID NO:2, SEQ ID NO:04, SEQ ID NO:06 or SEQ ID NO:08.
- 3. An isolated nucleic acid according to Claim 1, wherein said mammalian protein has an amino acid sequence that is substantially identical to the amino acid sequence of SEQ ID NO:2, SEQ ID NO:04, SEQ ID NO:06 or SEQ ID NO:08.
 - 4. An isolated nucleic acid according to Claim 1, wherein the nucleotide sequence of said nucleic acid has the sequence selected from the group consisting of: (a) SEQ ID NO:1 or the complementary sequence thereof; (b) SEQ ID NO:03 or the complementary sequence thereof; (c) SEQ ID NO:05 or the complementary sequence thereof; and (d) SEQ ID NO:07 or the complementary sequence thereof.

20

15

5. An isolated nucleic acid comprising at least 18 contiguous nucleotides of the sequence selected from the group consisting of: (a) SEQ ID NO:1 or the complementary sequence thereof; (b) SEQ ID NO:03 or the complementary sequence thereof; (c) SEQ ID NO:05 or the complementary sequence thereof; and (d) SEQ ID NO:07 or the complementary sequence thereof.

25

30

6. An isolated nucleic acid comprising at least 50 contiguous nucleotides of the sequence selected from the group consisting of: (a) SEQ ID NO:1 or the complementary sequence thereof; (b) SEQ ID NO:03 or the complementary sequence thereof; (c) SEQ ID NO:05 or the complementary sequence thereof; and (d) SEQ ID NO:07 or the complementary sequence thereof.



10

20

7. An isolated nucleic acid that hybridizes under stringent conditions to a nucleic acid having the nucleotide sequence selected from the group consisting of: (a) SEQ ID NO:1 or the complementary sequence thereof; (b) SEQ ID NO:03 or the complementary sequence thereof; (c) SEQ ID NO:05 or the complementary sequence thereof; and (d) SEQ ID, NO:07 or the complementary sequence thereof.

- 8. An expression cassette comprising a transcriptional initiation region functional in an expression host, a nucleic acid having a sequence of the isolated nucleic acid according to Claim 1 under the transcriptional regulation of said transcriptional initiation region, and a transcriptional termination region functional in said expression host.
- 9. A cell comprising an expression cassette according to Claim 8 as part of an extrachromosomal element or integrated into the genome of a host cell as a result of introduction of said expression cassette into said host cell, and the cellular progeny of said host cell.
 - 10. A method for producing a mammalian protein selected from the group consisting of LGR4, LGR5 and LGR7, said method comprising:

growing a cell according to Claim 9, whereby said mammalian protein is expressed; and

isolating said protein substantially free of other proteins.

entail

- 11. A purified polypeptide composition comprising at least 50 weight % of the protein present as a mammalian protein selected from the group consisting of LGR4, LGR5 and LGR7, or a fragment thereof.
- 12. An antibody binding specifically to a mammalian protein selected from the group consisting of LGR4, LGR5 and LGR7.



- 13. The antibody of Claim 12, wherein said antibody is a monoclonal antibody.
- 14. A non-human transgenic animal model for LGR4, LGR5 or LGR7 gene function, wherein said transgenic animal comprises an introduced alteration in an LGR4,
 5 LGR5 or LGR7 gene.
 - 15. The animal model of claim 14, wherein said animal is heterozygous for said introduced alteration.
- 10 16. The animal model of claim 14, wherein said animal is homozygous for said introduced alteration.
 - 17. The animal model of claim 14, wherein said introduced alteration is a knockout of endogenous *LGR4*, *LGR5* or *LGR7* gene expression.
 - 18. A method of screening a sample for the presence of a ligand for a receptor selected from the group consisting of LGR4, LGR5 and LGR7, said method comprising: contacting said sample with a receptor selected from the group consisting of LGR4, LGR5 and LGR7or a mimetic thereof, and
 - detecting the presence of a binding event between said receptor and ligand in said sample.